



The Infinity Range. Warmth, with infinite style and vision.



Scan to download the FREE Layar App



INTERACTIVE PRINT



Download the free Layar App



Scan this page



Discover interactive content




The new range of Infinity fires. Creativity that knows no bounds.

The Infinity range boasts seventeen models offering a wide choice of sizes, styles and finishes. The fires are all British-made and although they have the contemporary European look, each model is designed to fit perfectly in a British home.

The fires can be fitted into chimneys and flues for a modern clean look; they can also be incorporated in fireplace suites in a choice of traditional or modern styles.

The models are designed to fit class 1 & class 2 flues/chimneys, down to 5" diameter or equivalent cross section. Fireplace opening sizes may need adjustment, reference should be made to the diagrams on pages 44 and 51.



What better way to make your house a home than with one of the stunning range of modern high efficiency fires from Infinity Fires?

### Options at a glance



www.infinityfires.co.uk



The Infinity 480FL on page 6, the 660PC on page 16, and the 890PC on pages 28 and 30 are also designed, and suitable to fit a pre-cast flue chimney offering a stunning fire and another option to home owners who until now have only had a very limited choice of traditionally designed fires to choose from. Some of the models are also available in rear venting balanced flue so can be fitted in homes without chimneys.

Every fire comes with a thermostatic radio frequency remote control that allows you to set the perfect temperature for your room and the fire can be set to regulate itself to achieve this. The remote can also be wall mounted, to be used as a wall switch, using the fixing kit supplied.

All fires in the range are designed to give a very realistic flame picture from a modest gas input, which means no additional ventilation is usually needed in the room and greater efficiencies are achievable.



All fires in the range are designed to give a very realistic flame picture from a modest gas input, and greater efficiencies are achievable.



The new range of Infinity fires. Creativity that knows no bounds.

At Charlton & Jenrick we are constantly striving to offer highly efficient gas fires that don't cost the earth, whilst also not detracting from the design, look and quality of our fires.



## Contents

|                             |    |
|-----------------------------|----|
| Infinity 480FL              | 6  |
| Infinity 480BF              | 8  |
| Infinity 600CF              | 10 |
| Infinity 600BF              | 12 |
| Infinity 600FL              | 14 |
| Infinity 660PC              | 16 |
| Infinity 780FL              | 18 |
| Infinity 780BF              | 20 |
| Infinity 890CF              | 22 |
| Infinity 890BF              | 24 |
| Infinity 890FL              | 26 |
| Infinity 890PC              | 28 |
| Infinity 890PC Inter-grated | 30 |
| Infinity 880FL              | 32 |
| Infinity 880FL with Basket  | 34 |
| Infinity 880BF              | 36 |
| Infinity Electric Ashbourne | 40 |
| Infinity Electric Edgemond  | 42 |
| Fire Dimensions             | 44 |
| Technical Specifications    | 46 |
| Suit Package Dimensions     | 48 |

As part of the continual improvement programme at Charlton & Jenrick we take pride in innovating & developing our fires, always striving for improvements. Part of this process requires that we test all our gas fires to the current efficiency standards, ensuring our customers always receive up-to-date products.

The efficiencies quoted in this brochure are the Net efficiencies which are usually advertised in marketing literature. A brief explanation can be seen below if you wish to see a copy of the standards we use, further details can be found at [www.bsigroup.com](http://www.bsigroup.com).

### Net Efficiency v Gross Efficiency

Net efficiency calculations assume that the energy contained in the water vapour which is formed as a product of combustion is recovered in some way, e.g. into the fabric of the building and is not lost from the flue/chimney. Gross combustion efficiency calculations assume that the energy contained in the water vapour is not recovered and is lost to the outside air. Typically the difference between the value of net combustion efficiency and the value of gross combustion efficiency for a natural gas fire is around 5 to 8 percentage points with the net value being higher than the gross value. Most gas fire manufacturers quote their efficiencies based on the net combustion efficiency, although the gross value is often stated in the installation instructions for Building Regulations purposes.





## Infinity 480FL

- **This fire redefines the rules of what fires can be used in a fireplace suite.** The 480FL is free of an external trim frame and as a result can enhance and complement a multitude of traditional or modern fireplace designs as well as having the option of a trimless built-in look.
- **Shown on page 7 (opposite) in a suite.** The Infinity 480FL Limestone suite incorporates limestone to create a stunning suite that works in harmony.
- **Fits most chimneys** so will fit the majority of UK homes. Consult your local retailer for more details.
- **Optional kit available** to fit the fire onto a pre-cast flue with some building work required.
- **Glass fronted high efficiency fire** that is up to 82% efficient.
- **Designed to give a realistic flame picture** from a modest 5.5kW input, which usually means no additional ventilation in the room.



Rustic Brick liner      Black mirror glass      Beige liner



### Liner Choice

A choice of liner is available in either brick, black mirror glass or beige.

**Fuel Bed:** Authentic logs.

## Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 5.5kW | 4.3kW  | 82%        | 570 x 441              | Class 1 & 2   |
| LPG         | 5.0kW | 3.3kW  | 71%        | 570 x 441              | Class 1 & 2   |

\* The dimensions stated are the overall visible size of the fire when installed.

Left: 480FL Beckford Limestone Suite  
Right: 480FL Beckford Limestone & Granite Suite  
Main: 480FL Stokesay Suite



www.infinityfires.co.uk





## Infinity 480BF

- **No flue no problem.** The rear venting flue enables the installation to be clean and neat on an outside wall. In many cases this removes the need for additional building work and false chimney breasts.
- **Slim Firebox design.** This allows the fire to be installed within a standard cavity wall space and again removes the need for false chimney breasts and additional building work.
- **Same look fireplace suites available.** The 480BF is the balanced flue version of the 480FL on the previous page, so even if you don't have a chimney you can still choose the 480 fire. The balanced flue version fits with all the same fireplaces as the 480FL giving you an impressive range of suites.

- **Optional timber frame kit** is available for safe and easy fitting into timber framed homes.
- **Glass fronted high efficiency** fire that is up to 86% efficient.



Rustic Brick liner

Black mirror glass

Beige liner

**Fuel Bed:** Authentic logs

### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 2.6kW | 2.1kW  | 86%        | 569 x 439              | Balanced Flue |

\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 600CF

- A compact 'hole-in-the-wall' gas fire that will fit the majority of chimney breasts. The 600CF is the smallest in the range of 'trimmed' fires, designed to give the exact look of the 890CF but able to fit into smaller chimney breasts and rooms.

- A choice of 6 different trims to finish the look of your fire.

Choose from either a profile or flat trim. The profile trims are finished in either piano black, chrome or graphite grey.

The flat trims have a choice of stainless-steel, piano black or graphite grey finish.

- Fits most chimneys so will fit the majority of UK homes. Consult your local retailer for more details.

- Glass fronted high efficiency fire that is up to 83% efficient.

- Designed to give a realistic flame picture from a modest 5.5kW input, which usually means no additional ventilation in the room.



Rustic Brick liner


Ribbed Black liner

Beige liner

### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 5.5kW | 4.1kW  | 83%        | 780 x 483              | Class 1 & 2   |
| LPG         | 5.0kW | 3.7kW  | 80%        | 780 x 483              | Class 1 & 2   |

\* The dimensions stated are the overall visible size of the fire when installed.



HIGH EFFICIENCY GLASS

RUSTIC BRICK LINER

BEIGE LINER

RIBBED BLACK LINER

LOG FUEL BED

NATURAL GAS

LIQUEFIED PETROLEUM GAS

5 year warranty



Graphite flat trim



Piano black flat trim



Chrome profile trim



Graphite profile trim



Piano Black profile trim



Brushed Stainless steel flat trim



## Infinity 600BF

- **No flue no problem.** The rear venting flue enables the installation to be clean and neat on an outside wall. In many cases this removes the need for additional building work and false chimney breasts.
- **Slim Firebox design.** This allows the fire to be installed within a standard cavity wall space and again removes the need for false chimney breasts and additional building work.
- **Glass fronted high efficiency fire** that is up to 86% efficient.



Rustic Brick liner

Ribbed Black liner

Beige liner

**Fuel Bed:** Authentic logs

## Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions<br>mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|---------------------------|---------------|
| Natural Gas | 2.6kW | 2.3kW  | 90%        | 780 x 480                 | Balanced Flue |

\* The dimensions stated are the overall visible size of the fire when installed.



Graphite flat trim



Piano black flat trim



Chrome profile trim



Graphite profile trim



Piano Black profile trim



Brushed Stainless steel flat trim

## Infinity 600FL

- A versatile gas fire that can be fitted 'frameless' in the wall or as part of suite. The 600FL is free from an external trim frame, and as a result, can enhance and complement a multitude of traditional or modern fireplace designs, as well as having the option of a trimless built-in look.
- Shown on page 3 in a suite. The Infinity 600FL LS04 Limestone suite incorporates Limestone and Black Granite to create a stunning harmonised suite.
- Fits most chimneys so will fit the majority of UK homes. Consult your local retailer for more details.
- Glass fronted high efficiency fire that is up to 83% efficient.
- Designed to give a realistic flame picture from a modest 5.5kW input, which usually means no additional ventilation in the room.



Rustic Brick liner      Beige liner      Black mirror glass

### Liner Choice

A choice of liner is available in either brick, black mirror glass or beige.

Fuel Bed: Authentic logs.

## Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 5.5kW | 4.1kW  | 83%        | 658 x 356              | Class 1 & 2   |
| LPG         | 5.0kW | 3.6kW  | 77%        | 658 x 356              | Class 1 & 2   |

\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 660PC

- A new concept in gas fires not seen before in the UK.

The Infinity 660PC is a modern contemporary gas fire that has been specifically designed to also accept installation into homes with pre-cast flues where normally only very shallow 16" traditional fires can be placed.

- **Modern Black finish.** The fire is finished with a black fascia and black mirror glass back liner which reflects the flames of the fire to give the impression of an even deeper fuel bed.

- **Glass fronted high efficiency fire** that is up to 82% efficient.

- **Designed to give a realistic flame picture** from the modest 5.5kW input, which usually means no additional ventilation in the room.



Fuel Bed: Authentic logs.

### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types               |
|-------------|-------|--------|------------|------------------------|-----------------------------|
| Natural Gas | 5.5kW | 4.3kW  | 82%        | 736 x 465              | Class 1, 2 & Pre-cast flues |

\* The dimensions stated are the overall visible size of the fire when installed.



Can fit Pre-cast Flue

## Infinity 780FL

- A large hole-in-the-wall gas fire that offers a stunning centrepiece to your room. The 780FL is a taller format than the 890FL to give a different look to the overall fire.
- Can be fitted 'frameless' in the wall for the ultra modern look or it can be incorporated into a fireplace to create a suite.
- Shown on page 19 (opposite) in a suite. The Infinity 780FL is shown in a number of different suites in limestone, black granite or the new Neastone™ material. With the choice of beige, black mirror glass or brick liners, there are many options to make the fire your own.
- Designed to give a realistic flame picture from a modest 6.6kW input, which usually means no additional ventilation in the room.



- Fits most chimneys and 5" flues so will fit into existing fireplace openings.
- Glass fronted high efficiency fire that is up to 81% efficient.



Rustic Brick liner



Beige liner



Black mirror glass

### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 6.6kW | 4.85kW | 81%        | 828 x 492              | Class 1 & 2   |
| LPG         | 7.0kW | 4.65kW | 72%        | 828 x 492              | Class 1 & 2   |

\* The dimensions stated are the overall visible size of the fire when installed.



Above: 780FL Hole in the wall  
Centre: Neastone suite  
Right: Ashbourne suite in Limestone





## Infinity 780BF

- **No flue no problem.** The rear venting flue enables the installation to be clean and neat on an outside wall. In many cases this removes the need for additional building work and false chimney breasts.
- **Slim Firebox design.** This allows the fire to be installed within a standard cavity wall space and again removes the need for false chimney breasts and additional building work.
- **Same look fireplace suites available.** The 780BF is the balanced flue version of the 780FL on the previous page, so even if you don't have a chimney you can still choose the 780 fire. The balanced flue version fits with all the same fireplaces as the 780FL giving you an impressive range of suites.

- **Optional timber frame kit** is available for safe and easy fitting into timber framed homes.
- **Glass fronted high efficiency fire** that is up to 87% efficient.



Rustic Brick liner

Beige liner

Black mirror glass

**Fuel Bed:** Authentic logs

## Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 3.4kW | 2.7kW  | 87%        | 826 x 491              | Balanced Flue |

\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 890CF

- **A large wide hole-in-the-wall fire that will take centre stage in any room.** The 890CF is a wide format 'trimmed' fire that offers a stunning log effect fire that is hard to believe is a gas fire and not a real flame.
- **A choice of 6 different trims to finish the look of your fire.** Choose from either a profile or flat trim. The profile trims are available in either chrome, piano black or graphite grey. The flat trims are finished in a choice of stainless-steel, piano black or graphite grey.
- **Fits most chimneys** so will fit the majority of UK homes. Consult your local retailer for more details.



Rustic Brick liner

Beige liner

Ribbed Black liner

- **Glass fronted high efficiency fire** that is up to 82% efficient.
- **Designed to give a realistic flame picture** from a modest 5.5kW input, which usually means no additional ventilation in the room.

**Trim Choice**  
Choose from chrome or graphite profile trims or chrome, stainless steel, piano black or graphite flat trims.


**Fuel Bed:** Authentic logs.



### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 5.5kW | 4.1kW  | 82%        | 1051 x 460             | Class 1 & 2   |
| LPG         | 5.0kW | 3.6kW  | 72%        | 1051 x 460             | Class 1 & 2   |

\* The dimensions stated are the overall visible size of the fire when installed.



HIGH EFFICIENCY GLASS

RUSTIC BRICK LINER

BEIGE LINER

RIBBED BLACK LINER

STONE LINER

LOG FUEL BED

NATURAL GAS

LPG

GUARANTEED QUALITY



Graphite flat trim



Piano black flat trim



Chrome profile trim



Graphite profile trim



Piano Black profile trim



Brushed Stainless steel flat trim



## Infinity 890BF

- **No flue no problem.** The rear venting flue enables the installation to be clean and neat on an outside cavity wall. In many cases does not involve additional building work.

- **Landscape Hole-in-the-Wall fire for homes without a chimney.**

This fire is the Balanced flue version of the 890CF and makes the fire available to those who don't have a chimney.

- **A choice of 6 different trims to finish the look of your fire.**

Choose from either a profile or flat trim.

The profile trims are available in either chrome, piano black or graphite grey. The flat trims are finished in a choice of brushed stainless-steel, piano black or graphite grey.



Rustic Brick liner



Beige liner




Ribbed Black liner

**Fuel Bed:** Authentic Logs.

- **Glass fronted high efficiency fire** that is up to 92% efficient.

- **Designed to give a realistic flame picture** from the modest 3.4kW input, which means lower running costs than larger gas input alternatives.



Graphite flat trim




Piano black flat trim



Chrome profile trim



Graphite profile trim



Piano Black profile trim



Brushed Stainless steel flat trim

## Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions<br>mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|---------------------------|---------------|
| Natural Gas | 3.4kW | 2.8kW  | 92%        | 1052 x 460                | Balanced Flue |

\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 890FL

- A large landscape hole-in-the-wall gas fire. The 890FL is a large wide fire that comes with realistic logs and a choice of black mirror glass, beige or brick inner liner boards.
- Can be fitted 'frameless' in the wall for the ultra modern look or it can be incorporated into a fireplace to create a suite.
- The Infinity 890FL, (on page 27, opposite, in a suite), is shown in a number of different suites in limestone, black granite or the new Neastone™ material.
- Designed to give a realistic flame picture from a modest 6.6kW input, which usually means no additional ventilation in the room.
- Fits most chimneys so will fit the majority of UK homes. Consult your local retailer for more details.
- Glass fronted high efficiency fire that is up to 82% efficient.



Rustic Brick liner

Beige liner

Black mirror glass

### Liner Choice

A choice of liner is available in either brick, black mirror glass or beige.

**Fuel Bed:** Authentic logs.

### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|------------------------|---------------|
| Natural Gas | 6.6kW | 4.85kW | 82%        | 967 x 345              | Class 1 & 2   |
| LPG         | 7.0kW | 4.6kW  | 71%        | 967 x 345              | Class 1 & 2   |

\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 890PC


- **Continuing the new concept in gas fires not before seen in the UK.** The Infinity 890PC is a larger version of the 660PC. These modern contemporary gas fires can be installed in class 1 & 2 flues and also onto pre-cast flues.
- **Versatile fitting.** Can be installed in class 1 & 2 flues and also onto pre-cast flues.
- **Modern Piano Black finish.** The fire is finished with a Piano Black fascia and black mirror glass back liner which reflects the flames of the fire to give the impression of an even deeper fuel bed.
- **Glass fronted high efficiency fire** that is up to 82% efficient.
- **Designed to give a realistic flame picture** from the modest 5.5kW input, which usually means no additional ventilation in the room.



Fuel Bed: Authentic logs.



Black mirror glass



Can fit Pre-cast Flue



### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions<br>mm (w x h)* | Chimney Types                 |
|-------------|-------|--------|------------|---------------------------|-------------------------------|
| Natural Gas | 5.5kW | 4.1kW  | 82%        | 971 x 465                 | Class 1,2<br>& Pre-cast Flues |

\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 890PC Inter-graded

- **Ultra Modern gas fire built into the heart of your living space.**

The Infinity 890PC is designed so that it can either be hung on the wall (as on the previous page) and also have a feature fireplace built around it. The fire can be fitted to almost all conventional flues including class 2 & pre-cast, offering an infinite number of unique fireplaces that can be created.

- **Glass fronted high efficiency fire** that is up to 82% efficient.

- **Designed to give a realistic flame** picture from the modest 5.5kW input, which usually means no additional ventilation in the room.



**Fuel Bed:** Authentic logs.



Black mirror glass

### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions<br>mm (w x h)* | Chimney Types                 |
|-------------|-------|--------|------------|---------------------------|-------------------------------|
| Natural Gas | 5.5kW | 4.1kW  | 82%        | 971 x 465                 | Class 1,2<br>& Pre-cast Flues |


\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 880FL

- **Stunning large fire with a choice of beautiful surrounds.** Create your dream fireplace with the Infinity 880FL gas fire which is designed to be integrated with a wide range of stone surrounds to create your ideal living space feature.
- **Glass fronted high efficiency fire** that is up to 81% efficient.
- **Designed to give a realistic flame picture** from the modest 7.6kW input, which usually means no additional ventilation in the room.



### Options & Specifications


| Gas Type    | Input | Output | Efficiency | Dimensions<br>mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|---------------------------|---------------|
| Natural Gas | 7.6kW | 5.6kW  | 81%        | 812 x 807                 | Class 1,2     |

\* The dimensions stated are the overall visible size of the fire when installed.

#### Liner Choice

A choice of liner is available in either rustic brick, Black Ribbed Ceramic, grey slate or stone liners.

**Fuel Bed:** Authentic logs.





## Infinity 880FL with basket

- **Add a regency look to the Infinity 880FL.** The optional fire basket for the 880FL can be used with any of the combinations of surrounds and liners shown on pages 32-33.
- **Raise the fuel bed for bigger flames.** The fuel bed sits in the fire basket which elevates the realistic flames higher up the fire.

- **Compatible with all 880FL Suites.** The basket for the Infinity 880FL can go in any of the 880FL suites and with any of the choice of liners i.e. Black Ribbed Ceramic, Rustic Brick, Grey Slate or Stone Tile liners.



Rustic Brick liner



Ribbed Black liner



Stone liner



Slate liner

**Fuel Bed:** Authentic logs in cast iron fire basket.

### Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions mm (w x h)* | Chimney Types              |
|-------------|-------|--------|------------|------------------------|----------------------------|
| Natural Gas | 7.6kW | 5.6kW  | 81%        | 812 x 807              | Class 1,2 & Pre-cast Flues |

\* The dimensions stated are the overall visible size of the fire when installed.





## Infinity 880BF

- **Stunning large fire with a choice of beautiful surrounds.** If you don't have a chimney but want a grand looking fireplace the 880BF balanced flue fire is the choice for you. The fire can be situated with an a wide range of stone or marble fireplaces to create a perfect suite for your home.
- **No flue no problem.** The rear venting flue enables the installation to be clean and neat on an outside cavity wall.
- Glass fronted high efficiency fire that is up to 89% efficient.



- Designed to give a realistic flame picture from the modest 5.0kW input, which being a balanced flue means no additional ventilation in the room.

### Liner Choice

A choice of liner is available in either rustic brick, Black Ribbed Ceramic, grey slate or stone liners.

**Fuel Bed:** Authentic logs.



Rustic Brick liner



Ribbed Black liner



Stone liner



Slate liner



## Options & Specifications

| Gas Type    | Input | Output | Efficiency | Dimensions<br>mm (w x h)* | Chimney Types |
|-------------|-------|--------|------------|---------------------------|---------------|
| Natural Gas | 5.0kW | 4.0kW  | 89%        | 812 x 807                 | Balanced Flue |

\* The dimensions stated are the overall visible size of the fire when installed.




## Infinity Electric Fire Suites...

It is not always possible or in fact needed to have a gas fire in your room.

When this is the case you don't have to compromise on the quality and the appearance of the fireplace you choose. The new Infinity electric suites mirror the design and feel of the gas fire versions with an alternative electric fire engine. The electric suites on these pages feature the Optimyst flame effect which is considered by many as the most realistic electric fire available on the market. It is one we recommend you see in the flesh live in one of our authorised Infinity retailers. Added to the flame effect is our own heater unit which produces 2kW of heat into your room at the touch of a button.




## Infinity Electric Ashbourne Suite

- Fits in a traditional cavity.
- Limestone surround with black granite chamber to reflect the flame effect.
- Optimyst log flame effect can be used independently from the heater.
- 1kW and 2kW heat settings
- Thermostatic control to create and maintain a comfortable temperature in the room.


















## Infinity Electric Edgemond Suite

- Fits on a flat wall.
- Limestone surround with black granite chamber to reflect the flame effect.
- Optimyst log flame effect can be used independently from the heater.
- 1kW and 2kW heat settings
- Thermostatic control to create and maintain a comfortable temperature in the room.



# Fire Dimensions
















**Please note:** Our policy is one of constant development and improvement. We therefore reserve the right to revise the specification and design of our stoves without formal notice. This leaflet is presented as a guide to aid in your decision and does not replace the need for technical assessment by your dealer. While the utmost care was taken in the preparation of this brochure, it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and does not replace the need to see the stove in a showroom. We accept no liability for any loss or damage arising either directly or indirectly from the use of this brochure. All designs in this brochure are design or copyright registered. Fireline, without exception, will take action against any infringements of its designs.

## Infinity Technical Specification









| Model          | Trimmed/<br>Frameless | Liner Options                       | Gas Types   | Firebox Dimensions |        |       |
|----------------|-----------------------|-------------------------------------|-------------|--------------------|--------|-------|
|                |                       |                                     |             | Height             | Width  | Depth |
| Infinity 480FL | Frameless             | Beige, Rustic Brick or Black Glass  | Natural Gas | 547mm              | 494mm  | 262mm |
| Infinity 480FL | Frameless             | Beige, Rustic Brick or Black Glass  | LPG         | 547mm              | 494mm  | 262mm |
| Infinity 480BF | Frameless             | Beige, Rustic Brick or Black Glass  | Natural Gas | 682mm              | 553mm  | 207mm |
| Infinity 600CF | Trimmed               | Black Ribbed, Beige or Rustic Brick | Natural Gas | 422mm              | 603mm  | 261mm |
| Infinity 600CF | Trimmed               | Black Ribbed, Beige or Rustic Brick | LPG         | 422mm              | 603mm  | 261mm |
| Infinity 600BF | Trimmed               | Black Ribbed, Beige or Rustic Brick | Natural Gas | 424mm              | 617mm  | 166mm |
| Infinity 600FL | Frameless             | Beige, Rustic Brick or Black Glass  | Natural Gas | 460mm              | 597mm  | 262mm |
| Infinity 600FL | Frameless             | Beige, Rustic Brick or Black Glass  | LPG         | 460mm              | 597mm  | 262mm |
| Infinity 660PC | Trimmed               | Mirror Glass                        | Natural Gas | 422mm              | 722mm  | 243mm |
| Infinity 780FL | Frameless             | Beige, Rustic Brick or Black Glass  | Natural Gas | 654mm              | 900mm  | 320mm |
| Infinity 780FL | Frameless             | Beige, Rustic Brick or Black Glass  | LPG         | 654mm              | 900mm  | 320mm |
| Infinity 780BF | Frameless             | Beige, Rustic Brick or Black Glass  | Natural Gas | 740mm              | 843mm  | 208mm |
| Infinity 890CF | Trimmed               | Black Ribbed                        | Natural Gas | 456mm              | 970mm  | 275mm |
| Infinity 890CF | Trimmed               | Black Ribbed                        | LPG         | 456mm              | 970mm  | 275mm |
| Infinity 890BF | Trimmed               | Black Ribbed                        | Natural Gas | 456mm              | 970mm  | 185mm |
| Infinity 890FL | Frameless             | Beige, Rustic Brick or Black Glass  | Natural Gas | 502mm              | 1015mm | 261mm |
| Infinity 890FL | Frameless             | Beige, Rustic Brick or Black Glass  | LPG         | 502mm              | 1015mm | 261mm |
| Infinity 890PC | Trimmed               | Black Glass                         | Natural Gas | 424mm              | 894mm  | 212mm |
| Infinity 890PC | Built In              | Black Glass                         | Natural Gas | 424mm              | 894mm  | 212mm |
| Infinity 880FL | Frameless             | Rustic Brick or Red Brick           | Natural Gas | 981mm              | 884mm  | 322mm |
| Infinity 880BF | Frameless             | Rustic Brick or Red Brick           | Natural Gas | 1030mm             | 785mm  | 230mm |

| Fireplace Opening* |                   |                  |                  |                  |                  | Inputs |        | Outputs |        | Efficiency |
|--------------------|-------------------|------------------|------------------|------------------|------------------|--------|--------|---------|--------|------------|
| Height<br>Minimum  | Height<br>Maximum | Width<br>Minimum | Width<br>Maximum | Depth<br>Minimum | Depth<br>Maximum | Max    | Low    | Max     | Low    |            |
| 555mm              | 580mm             | 500mm            | 558mm            | 330mm            | -                | 5.5kW  | 2.4kW  | 4.1kW   | 1.3kW  | 82%        |
| 555mm              | 580mm             | 500mm            | 558mm            | 330mm            | -                | 5.0kW  | 2.4kW  | 3.2kW   | 1.3kW  | 71%        |
| 690mm              | -                 | 560mm            | 575mm            | 170mm            | -                | 2.6kW  | 1.5kW  | 2.1kW   | 1.1kW  | 86%        |
| 430mm              | 445mm             | 599mm            | 640mm            | 330mm            | -                | 5.5kW  | 2.4kW  | 4.1kW   | 1.3kW  | 83%        |
| 430mm              | 445mm             | 599mm            | 640mm            | 330mm            | -                | 5.0kW  | 2.4kW  | 3.7kW   | 1.3kW  | 80%        |
| 460mm              | -                 | 660mm            | -                | 170mm            | -                | 2.6kW  | 1.5kW  | 2.3kW   | 1.1kW  | 90%        |
| 465mm              | 490mm             | 600mm            | 658mm            | 330mm            | -                | 5.5kW  | 2.4kW  | 4.1kW   | 1.4kW  | 83%        |
| 465mm              | 490mm             | 600mm            | 658mm            | 330mm            | -                | 5.5kW  | 2.4kW  | 4.1kW   | 1.4kW  | 77%        |
| 390mm              | 430mm             | 355mm            | 810mm            | 100mm            | -                | 5.5kW  | 2.4kW  | 4.1kW   | 1.7kW  | 82%        |
| 610mm              | 640mm             | 800mm            | 850mm            | 330mm            | -                | 6.6kW  | 2.4kW  | 4.85kW  | 1.5kW  | 81%        |
| 610mm              | 640mm             | 800mm            | 850mm            | 330mm            | -                | 7.0kW  | 2.4kW  | 4.65kW  | 1.5kW  | 72%        |
| 750mm              | -                 | 853mm            | 870mm            | 170mm            | -                | 3.4kW  | 2.1kW  | 2.0kW   | 1.5kW  | 87%        |
| 430mm              | 445mm             | 905mm            | 940mm            | 330mm            | -                | 5.5kW  | 2.8kW  | 4.1kW   | 1.6kW  | 82%        |
| 430mm              | 445mm             | 905mm            | 940mm            | 330mm            | -                | 5.0kW  | 2.4kW  | 3.6kW   | 1.2kW  | 72%        |
| 430mm              | 445mm             | 900mm            | 935mm            | 170mm            | -                | 3.4 kW | 1.6kW  | 2.8kW   | 1.1kW  | 92%        |
| 403mm              | 445mm             | 905mm            | 940mm            | 330mm            | -                | 6.6kW  | 2.8kW  | 4.85kW  | 1.5kW  | 82%        |
| 403mm              | 445mm             | 905mm            | 940mm            | 330mm            | -                | 7.0kW  | 2.4kW  | 4.65kW  | 1.5kW  | 72%        |
| 390mm              | 430mm             | 395mm            | 510mm            | 100mm            | -                | 5.5kW  | 2.4kW  | 4.08kW  | 1.9kW  | 82%        |
| 390mm              | 430mm             | 395mm            | 510mm            | 100mm            | -                | 5.5kW  | 2.4kW  | 4.08kW  | 1.9kW  | 82%        |
| 943mm              | 960mm             | 773mm            | 825mm            | 330mm            | -                | 7.6kW  | 2.4kW  | 5.6kW   | 1.5kW  | 81%        |
| 1040mm             | -                 | 790mm            | 840mm            | 185mm            | -                | 5.0 kW | 2.4 kW | 4.01 Kw | 1.7 kW | 89%        |





Suite package dimensions





DESIGNED, ENGINEERED  
& MADE IN BRITAIN

**Infinity Fires**

Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.

T 0845 5195 991 F 0845 5195 992

E sales@infinityfires.co.uk



[www.infinityfires.co.uk](http://www.infinityfires.co.uk)

**Charlton & Jenrick™**  
*Best of British fires, fireplaces & stoves*