

THE
Fireline™
Stoves
COLLECTION

CHARLTON & JENRICK
SINCE 1986





THE Fireline™ Stoves COLLECTION



A warm welcome to the new Charlton & Jenrick Fireline Stoves brochure

I am delighted to be able to offer you a personal introduction to the latest Charlton & Jenrick Fireline stove brochure. Charlton & Jenrick continues to make substantial investment in developing new additions to all our product ranges and we now offer more choice and higher performance than ever before – all fully approved for both Ecodesign emissions and efficiency standards and certified by the national **clearSkies** scheme.

Wood log burners and multi-fuel stoves have become an effective, economical and low-carbon choice with an exciting visual flame picture that old stoves simply could not offer. Alongside this is a national drive for improvement of air quality which the industry has responded to vigorously. Our entire stove ranges are officially **clearSkies** certified to go beyond Ecodesign by this government recognised scheme (www.clearskiesmark.org).

Ecodesign stoves can reduce particulate emissions (smoke particles) up to **90%** below an open fire and **80%** compared to an old stove. Replacing open fires or old stoves is a huge local air quality benefit and you can choose any of our stoves with total confidence that they are amongst the top ranks of low emitting appliances in the world. There will not be a 'stove ban' in the UK and new, cleaner burning wood burners are here to stay.

Fireline stoves use advanced, patented firebox combustion technology developed exclusively in our own UK laboratory, which results in very clean burning and highly efficient stoves. The energy efficiency of our stoves begins at **78%** and rises to **83%** but that is only a small part of the story as our air wash and tertiary air profiling technology are an integral part of the low emission combustion process. Every model in the range easily achieves Defra exemption at **less than 50%** of the limit, on top of a clear pass on all Ecodesign 2022 emissions criteria, and the vast majority achieve the much stricter clearSkies certification. This is not easy and requires years of careful design and experience being put into each appliance from conception to production.

Whether it is fuelled by wood, gas, electricity or smokeless briquettes, each unique stove design is constructed from **100%** UK penned 3D CAD designs using the latest CNC laser profiling and steel production processes and the finest materials. Each product extensively utilises quality cast iron, stainless steel, mild steel, ceramic glass, refractories and high-grade heat-resistant coatings to give you an incredibly strong and durable product to rely on. Our stoves are designed and manufactured under independently certified ISO 9001 quality and ISO 14001 environmental management systems. Fireline stoves are designed and engineered to be extremely efficient and environmentally sound.

To realise the full potential and low emissions from our stoves, we only recommend using high-quality fuel. The government recognised Woodsure (www.woodsurre.co.uk) Ready To Burn scheme helps ensure that consumers are able to obtain reliable supplies of quality firewood logs nationally.

Charlton & Jenrick's base here in Telford is a stone's throw away from the birthplace of the industrial revolution at Coalbrookdale, and the World Heritage site of Ironbridge, where the origins of modern industry were forged. It is incredibly satisfying for the whole C&J team to be a small part of the great British industrial story, designing, developing and producing wood-burning stoves for the warmth and wellbeing of UK households.

Peter Mintoft
Managing Director | Charlton & Jenrick





Emissions and Performance Scheme Explained



clearSkies is the new objective & independent emissions and energy performance certification mark for solid fuel stoves and fireplaces that highlights stoves having emissions that are at least 15% better than Ecodesign

Operating under the Stove Industry Association (SIA), clearSkies sole purpose is to drive the development of cleaner and more efficient appliances and is open to all manufacturers of solid fuel stoves and fireplaces. It is the only UK certification scheme that goes beyond the basic requirements of Ecodesign and includes mandatory Defra exemption (smoke control area) emissions certification.

Secure peace of mind – for today and tomorrow:
Although all our stoves already easily meet Ecodesign, many C&J stoves achieve a clearSkies listing, and the

vast majority of those go considerably beyond a 15% improvement to give you total peace of mind that you are investing in a state of the art wood burner with future proof performance. C&J are proud to have been amongst the founder members of the clearSkies scheme.

Scan the QR code for further details and our official product listings or visit:
www.clearskiesmark.org/ ►



SIA Ecodesign Explained

The SIA (Stove Industry Association) used the services of a research company, Kiwa Gastec, whose report shows that modern clean burning Ecodesign stoves, including those in the Fireline range, can reduce particulate emissions by up to 90% compared to an open fire, and 80-84% compared to an old stove.

This finding is so important that SIA initiated and ran an 'Ecodesign Ready' labelling scheme to promote stoves meeting the efficiency and emissions regulations early. For the last 10 years, the industry's main manufacturers, including Charlton & Jenrick, have ensured that all newly designed wood burning stove models meet European and UK environmental standards for particulate emissions.

Charlton & Jenrick invested in the design and development of the Fireline range of Ecodesign Ready stoves as long ago as 2013 to prepare for future tightening of regulations, with all stoves released from 2017 onwards meeting this certification criteria.

In doing so, new combustion optimisation ideas and techniques were perfected, resulting in a patent covering the tertiary air inlet system and several other innovations which were added within the products.

You can buy, safe in the knowledge that all the Fireline stoves you see in this brochure are certified SIA Ecodesign certified and Defra Exempt for Wood Burning in Smokeless Zones, as well as meeting the more stringent clearSkies certifications.

Contents

6	Fireline Multi-Fuel Stoves – Key Features	38	Ecostar 5 5kW Inset Stove
8	Maximising the potential of your stove	40	Ecostar 5 5kW Wide Inset Stove
10	FX4 4kW Multi-Fuel Stove	42	Ecostar 5 5kW Free-standing Stove
12	FX5 5kW Multi-Fuel Stove	44	Ecostar 5 5kW Wide Free-standing Stove
14	FQ5 5kW Multi-Fuel Stove	46	Woodtec Wood-Burning Stoves Range
16	FA5W 5kW Multi-Fuel Stove	48	Woodtec 5 5kW Wood-Burning Stove
18	FP5W 5kW Multi-Fuel Stove	50	Woodtec 5W 5kW Wood-Burning Stove
20	FQ5W 5kW Multi-Fuel Stove	52	Woodtec 5WD 5kW Wide Deep Wood-Burning Stove
22	FT5W 5kW Multi-Fuel Stove	54	Woodtec 5XW 5kW Extra Wide Wood-Burning Stove
24	FX5W 5kW Multi-Fuel Stove	56	Woodtec 5 Style 5kW Wood-Burning Stove
26	FA8 8kW Multi-Fuel Stove	58	Woodtec 5W Style 5kW Wide Wood-Burning Stove
28	FP8 8kW Multi-Fuel Stove	60	Woodtec 8kW Double Sided Wide Wood-Burning Stove
30	FQ8 8kW Multi-Fuel Stove	62	Woodtec FCS Cylinder 5kW Wood-Burning Stove
32	FT8 8kW Multi-Fuel Stove	66	Multifuel Stove Dimensions
34	FX8 8kW Multi-Fuel Stove	72	Technical Data
36	FPi8 8kW Multi-Fuel Stove	66	Woodtec Dimensions
		76	Technical Performance Data
		82	Accreditations



Fireline™ 7 Year Warranty

Get peace of mind with all Fireline wood-burning & multi-fuel stoves with two year parts and labour warranty, with the option of extending the parts warranty for a further five years if you fill in your warranty registration online within one month of purchasing your product. Full details and terms & conditions can be found on our website www.charltonandjenrick.co.uk

Tertiary Air

Our patented tertiary air-profiling system delivers the clean combustion and high efficiency required to meet or exceed the 2022 Ecodesign Directive. Every Fireline model uses this patented tertiary air profiling technology within the burn chamber, creating sharply defined flames and complete combustion. The patented tertiary air inlet system allows for rapid lighting and clean burning with minimal emissions.



Airwash

Powerful airwash that aids the clean burning of the stove to produce the High Definition (HD) flame picture. This unique air control system provides automatic air distribution from a simple single lever burning control to keep the glass clean and maintain the clear view of the flame picture.

This and all the other features on our Fireline stoves combine to help the vast majority of the Fireline range achieve the clearSkies certification, exceeding the minimum requirements set by the Ecodesign 2022 regulations.

Convection Stove Technology

Convactor stove technology is an outer layer that creates a second skin around the main stove body, which contains the combustion chamber. Select Fireline Stoves take advantage of this technology, reducing heat loss out the side of the stove, and increasing thermal efficiency.

See the full list of stoves with convection technology:
Rear Convection Only – Woodtec Range
Full Convection – FPi8, Ecostar Range and FCS Cylinder

Look out for QR Codes on product pages to see product videos



– Fireline Multi-Fuel Stoves Key Features

- The vast majority of the range is clearSkies certified – ultra clean burning.
- All models Defra exempt as standard.
- 5mm and 10mm thick laser-profiled and seam-welded steel construction for strength and long life.
- Draught-controlled tertiary air system.
- Contoured touch air control on all free-standing models.
- Smoothly profiled metal handles on all free-standing models.
- High-quality cast iron doors.
- Cast ceramic liner boards (free-standing & inset models) which are extremely durable and self-cleaning.
- Rotary cast iron grates on all free-standing models.
- All models are fitted with solid fuel burning kits as standard.
- All inset stoves are multi-fuel capable.
- Stainless-steel bar handle on inset models.
- Stainless-steel multi tool supplied with all stove models.
- Interchangeable top or rear flue outlet on free-standing models.
- Powerful effective airwash.
- Exceptionally large ceramic glass window.
- Stainless-steel ash pan and fixings.

TTi Airwash System

Fireline's integral patented TTi airwash system is a self-regulating system that provides a clean burn, and reduced CO and particulate emissions, resulting in very high efficiency and exceptionally clean glass.



Fireline Free-Standing Stove Door Styles

Arched Door
FA Door Models



Classical elegance with arch framed window design

Chunky Square Door
FP Door Models



Chunky design creates a distinctive profile with metal door handle

Modern Door
FQ Door Models



The largest glass panel, perfect for modern interiors

Tracery Door
FT Door Models



Traditional twist on a classic design, with gothic tracery arches

Curved Door
FX Door Models



Elegant and stylish, perfect for every interior

Fireline Stove Installation Methods

Limestone Surround



The most luxurious installation option, for either inset or free-standing stoves

Inglenook



Creates a cosy interior design for snug spaces

Free-standing



Perfect for open plan living environments, creating a central feature

Double Sided



The perfect feature for room dividers, creating a warm glow on both sides of the room

— Maximising The Potential Of Your Stove

Refuelling Your Fire

Place the logs into the centre of the fire, away from the rear, sides, and glass. This helps keep the glass and liners clean and enhances the flame picture as the fire is centralised.

Use your stove gloves when operating the door handle, air controls of your stove, and placing logs into the fire. The gloves are designed to protect your hand for long enough to carefully place the log and avoid bumping the back and side bricks.



The Right Type Of Wood

The best fuel for stoves is hardwood logs with no more than 20% moisture content for the best burn.

Kiln dried or seasoned work equally as well, but they must be seasoned long enough to achieve low moisture levels.

Why Dry Wood?

Dry wood produces less smoke and more heat, and so is much cleaner and better for the environment.

Having a too high-water percentage will increase pollution, produce a poor level of heat output and cause tar to form in your chimney.



Negatives Of Solid Fuel

- Potential to crystallise the glass
- Damaging the stove through corrosion
- Replacement spares will be required to be purchased more often
- Potential liner damage
- Shortens the life expectancy of the appliance.

Fuels Not To Use

- House Coal
- Painted or Preserved Wood
- Wet Wood
- Pallet Wood
- Newspaper and Card

Storing Your Firewood

You should store wood in a well vented, dry area that is away from the rain, this is because rain will eventually rot the wood.

You should always stack your firewood because this will help promote air circulation.

You must avoid storing firewood on a soil floor if outside, as the soil will rot the wood.

If you are cutting your own logs for firewood, store them in a dry area, and allow them to dry for at least 12 months, but for wood like oak this can be as long as 24 months.

How Much Do I Need?

If you are going to use your stove on most evenings and at weekends from October to April, then 3 to 4 cubic meters per year is typical for most UK households.



Maintaining Your Stove

Cleaning The Glass On Your Stove

Use a specialist stove glass cleaner or newspaper dipped in vinegar to clean your glass. Never use an abrasive cloth or substance to clean the glass.

Having Your Chimney Swept

You should have your chimney swept on a regular basis during the months it is in use. Having your chimney swept on a regular basis can help reduce acid corrosion.

Clean Your Stove Accessories

It's not all just about your stove. Your various stove accessories also take a bit of bashing during regular use. Make sure to clean them to keep them in good working order.



Scan the QR code to see more in our complete stove guide



Fireline™

FX4 4kW Multi-Fuel Stove

Superior, large-stove performance from a petite, narrow design means that this model combines the efficiency and economy of a small stove with the enhanced performance of a much larger model. Continuous research and development has created a clean-burning heat that results in a cleaner, greener environment. Fitting virtually any aperture, this attractive design is free-standing. The curved door styling offers superb flame pictures of the flickering flames within. This stove is Ecodesign certified, Defra Exempt, and clearSkies certified as standard for use in any location.



FX4 Curved Door Model



**FX4 Curved Door Model
on 260mm Midi Log Store**



**FX4 Curved Door Model shown in Beckford Surround from FDC
with All Limestone Chamber**

Scan the QR code to
see the FX4 Stove in
action on YouTube





FX4 Multi-Fuel Stove

Curved Door Model shown
on 260mm Midi Size Log Store
in Inglenook



Fireline™

FX5 5kW Multi-Fuel Stove

Traditional or contemporary, this 5kW multi-fuel stove looks as harmonious in a farmhouse inglenook as it does in a newly built town house. The stove is free-standing, with a curved door and large flame picture. For people living in a smoke-controlled area, this Fireline stove is SIA Ecodesign certified, Defra Exempt, and clearSkies certified.



FX5 Curved Door Model



**FX5 Curved Door Model
on 260mm Midi Log Store**



FX5 Curved Door Model shown on 260mm Midi Log Store in Inglenook



FX5 Multi-Fuel Stove

Curved Door Model shown in Beckford Limestone Surround from FDC with All Limestone Chamber



Fireline™

FQ5 5kW Multi-Fuel Stove

The latest addition to the Fireline 5kW line-up, the FQ5 features a more modern door style making it perfect for contemporary interior spaces. Performance and environmental credentials are guaranteed with our tertiary air and airwash features. The optional log store and brushed stainless steel door handle are available to help you tailor your stove to your tastes and your home.



FQ5 Modern Door Model

FQ5 Brushed Stainless Steel Door Handle Model

FQ5 Modern Door Model on 260mm Midi Log Store



FQ5 Modern Door Model shown in Abingdon Limestone Surround from FDC

Scan the QR Code to see the FQ5 Stove in action on YouTube



FQ5 Multi-Fuel Stove

Modern Door Model shown on 260mm
Midi Log Store in an Inglenook





FA5W Multi-Fuel Stove

Arched Door Model shown
in an Inglenook



Fireline™

FA5W 5kW Multi-Fuel Stove

The highly successful Fireline 5kW Wide stove line-up now includes a traditional clean arch-framed window design. Complementing the classic ellipse arch shape of the door is a distinctive, sculpted, oval primary air control feature.

This stove has it all with an effortless classical appearance whilst benefitting from the state-of-the-art firebox combustion technology that helps to achieve the Ecodesign 2022 certification, Defra Exemption, and clearSkies certification standards.



FA5W Arched Door Model

FA5W Arched Door Model
on 260mm Midi Log StoreFA5W Arched Door Model shown in Abingdon Limestone Surround
with All Limestone Chamber from FDC

Scan the QR Code to
see the FA5W Stove
in action on YouTube





FP5W Multi-Fuel Stove

Chunky Square Door Model
shown free standing on
260mm Midi Log Store



Fireline™

FP5W 5kW Multi-Fuel Stove

Incorporating a modern chunky square door design which replaces the original FP square door style. Designed to complement the form of the stove to create a distinctive and purposeful profile, this can be further enhanced with the optional log store. A solidly built Ecodesign 2022 certified, Defra Exempt, clearSkies certified stove which is highly thermally efficient for today's modern world.



FP5W Chunky Square Door Model



FP5W Chunky Square Door Model on 260mm Midi Log Store



FP5W Chunky Square Door Model shown in an Inglenook

Scan the QR Code
to see the FP5W Stove
in action on YouTube



Fireline™

FQ5W 5kW Multi-Fuel Stove

A mainstay of the Fireline line-up is the FQ5W model with attractive designer styling. Featuring an even larger glass viewing panel than the original 5 Wide stablemates, the subtle curves and angles of the substantial cast iron door frame enhance the superb fire view within. An optional solid stainless-steel door handle and log store stand are available for personalisation. Elegant balance blended with substantial presence mean that the FQ lends itself to creating a relaxed living space with a wide variety of fireplace and interior choices.



FQ5W Modern Door Model

FQ5W Brushed Stainless Steel Door Handle Model

FQ5W Modern Door Model on 260mm Midi Log Store



FQ5W Modern Door Model shown in Abingdon Limestone Surround from FDC

FQ5W Multi-Fuel Stove

Modern Door Model shown
free standing on 260mm
Midi Log Store



Fireline™

FT5W 5kW Multi-Fuel Stove

The FT5W stove brings with it all the modern environmental benefits of a clearSkies certified multi-fuel stove whilst providing a traditional exterior appearance thanks to the elegant cast iron door. Maintaining a superb view of the fire, the wide screen door features a classic ellipse main arch design plus three slim Gothic-style tracery arches.




FT5W Tracery Door Model



FT5W Tracery Door Model
on 260mm Midi Log Store



FT5W Tracery Door Model shown in Balmoral Limestone Surround from FDC





FT5W Multi-Fuel Stove

Tracery Door Model shown
in an Inglenook



Fireline™

FX5W 5kW Multi-Fuel Stove

The FX5W gives the large looks of the 8kW wide screen stove while maintaining the nominal heat output at 5kW. This is achieved by a subtle reduction in depth of the grate area whilst the overall 480mm width of the stove is the same as the larger 8kW model. This means that full 375mm logs can be accommodated on the standard multi-fuel grate, which incorporates a rotary riddle mechanism using well-proven principles. Featuring a firebox lined with ceramic clean burn liners and Fireline's own patented firebox air supply technology, clean burning was assured from the beginning – Ecodesign 2022 certified, Defra Exemption, and clearSkies certification were formalities. 81% efficiency ensures top levels of fuel economy and the highly effective, proven Fireline airwash system gives fabulous views of the fire through the large glass panel.



FX5W Curved Door Model



FX5W Curved Door Model
260mm Midi Log Store



FX5W Curved Door Model shown on 260mm Log Store in Inglenook

Scan the QR Code to
See the FX5W Stove
in action on YouTube



FX5W Multi-Fuel Stove

Curved Door Model
shown in Inglenook



Fireline™

FA8 8kW Multi-Fuel Stove

For those requiring a little more heat for their room, the FA8 is an 8kW nominal output multi-fuel stove. Effortlessly elegant, featuring a classic arch-styled heavy cast iron door and a sleek oval air control, this stove's proportions mean that it looks fabulous in an Inglenook, a large fireplace or free-standing on the log store. Peace of mind is guaranteed by Ecodesign 2022 certification, Defra Exemption, and clearSkies certification as standard for the whole 8kW range.



FA8 Arched Door Model

FA8 Arched Door Model
on 260mm Midi Log Store



FA8 Arched Door Model shown in Abingdon Limestone Surround
with All Limestone Chamber from FDC



FA8 Multi-Fuel Stove

Arched Door Model
shown in Inglenook



Fireline™

FP8 8kW Multi-Fuel Stove

A large 8kW multi-fuel stove featuring a modern chunky square door design. Complementing the form of the stove to create a distinctive and purposeful profile, which can be further enhanced with the optional log store. The extra-wide flame picture will enhance even the biggest of rooms.



FP8 Chunky Square Door Model



FP8 Chunky Square Door Model on 260mm Midi Log Store





FP8 Multi-Fuel Stove

Chunky Square Door Model shown in
Balmoral Limestone Surround from FDC





FQ8 Multi-Fuel Stove

Modern Door Model
shown free-standing



Fireline™

FQ8 8kW Multi-Fuel Stove

One of the most popular 8kW models by Fireline is the FQ8 with modern cast iron door styling. Featuring an even larger glass viewing panel than the FX and FP originals, the subtle curves and angles of the substantial cast iron door frame enhance the superb fire view within. Elegant balance blended with substantial presence lends itself to a wide variety of fireplace and interior choices to create a relaxed living space. An optional brushed stainless steel door handle is available to replace the standard door handle or a log store can be added for extra practicality.



FQ8 Modern Door Model

FQ8 Brushed Stainless Steel Door Handle Model

FQ8 Modern Door Model on 260mm Midi Log Store



FQ8 Modern Door Model shown in Balmoral Limestone Surround from FDC

Fireline™

FT8 8kW Multi-Fuel Stove

A large 8kW multi-fuel stove featuring a classic cast iron arch door with slim Gothic tracery retaining a breathtaking view of the fire.

Although undoubtedly a traditional-looking stove, the FT8 is a modern and efficient Ecodesign 2022 certified, Defra Exempt, and clearSkies certified stove at heart. This stove's proportions and stunning clean burn flame picture mean that it looks great in an inglenook, in a large fireplace or free-standing on the log store.



FT8 Tracery Door Model



FT8 Tracery Door Model
on 260mm Midi Log Store



FT8 Multi-Fuel Stove

Tracery Door Model
shown in Inglenook





FX8 Multi-Fuel Stove

Curved Door Model
shown in Inglenook



Fireline™

FX8 8kW Multi-Fuel Stove

The FX8 stove is a big, heavyweight, free-standing design, made from steel with a traditional cast iron door with extra-wide ceramic glass flame viewing window. Ideally suited to larger rooms, this stove can pump out a really serious amount of heat. The stove has a curved door design, and an extra-wide flame picture will enhance even the biggest of rooms.



FX8 Curved Door Model

FX8 Curved Door Model
on 260mm
Midi Log Store

FX8 Curved Door Model shown in chamber

Scan the QR Code
to see the FX8 Stove
in action on YouTube



Fireline™

FPI8 8kW Multi-Fuel Stove

A classical yet contemporary design, the FPI8 features a truly stunning wide flame window that gives this model a superb room presence.

The extra-large fire chamber accepts logs over ½ metre in length, which results in a longer burn and more efficient heating, not to mention the time saved in cutting small logs. The stove is available with a choice of a three or four-sided trim.

With its advanced technology and superior craftsmanship, this multifuel stove not only provides exceptional heat output but also adds a touch of sophistication to any living space.

This stove is Ecodesign 2022 certified, Defra Exempt, and clearSkies certified.



FPI8 Inset Stove
3-sided



FPI8 Inset Stove
4-sided



FPI8 Inset Stove shown set into the wall with a 4-sided 50mm Trim



FPI8 Multi-Fuel Inset Stove

set into the wall with
a 4-Sided 75mm Wide Trim



Fireline™

Ecostar 5 5kW Inset Multi-Fuel Stove

The latest evolution in our inset stoves, the sleek lines and smooth finish of the Fireline Ecostar 5 Inset Stove will set off any room.

Installation is possible into a fireplace or hole-in-the-wall with either a three or four-sided trim. This stove was designed with efficiency in mind, achieving 82.7% efficiency, and SIA Ecodesign certification standards.

The updated design makes installation into modern houses straightforward. Once installed, the only thing left to do is sit back and relax, as the flames flicker away in front of you.



Ecostar 5 Inset Stove
3-sided



Ecostar 5 Inset Stove
4-sided



Ecostar 5 Inset Stove shown set into a wall with a 4-sided 75mm Wide Trim

Ecostar 5 Inset Stove

in Beckford Limestone Surround
from FDC with 3-Sided 50mm Trim



Fireline™

Ecostar 5 5kW Wide Inset Multi-Fuel Stove

A wider version of the Fireline Ecostar 5 Inset, more suited to larger rooms and fireplaces.

With the flames flickering away through the large glass panel, the Ecostar 5 Wide Inset will create a sense of occasion for any setting.

Offering a stunning and stylish focal point whilst utilising space efficiently, this stove is a great way to upgrade your existing fireplace.



Ecostar 5 Inset Wide Stove
3-sided



Ecostar 5 Inset Wide Stove
4-sided



Ecostar 5 Wide Inset Stove shown set into a wall with a 4-sided 50mm Trim

Scan the QR Code
to see the Ecostar 5
Wide Inset Stove in
action on YouTube



Ecostar 5 Inset Wide Stove

in Abingdon Limestone Surround from
FDC with 4-Sided 75mm Wide Trim



Fireline™

Ecostar 5 5kW Free-standing Multi-Fuel Stove

The latest addition to the highly successful Fireline line-up, the Fireline Ecostar 5 is the perfect modern, free-standing focal point. There is a choice of a pedestal stand, 70mm leg stand, 200mm leg stand, and log store accessories to personalise your stove. This stove offers a timeless aesthetic, so is sure to be a statement in any home for its duration. Ideally suited to both cosy snugs and open plan spaces, the versatility of this stove is its calling card.



Ecostar 5
Free-standing Stove



Ecostar 5 Free-standing
Stove on 70mm Leg Stand



Ecostar 5 Free-standing
Stove on 200mm
Leg Stand



Ecostar 5 Free-standing
Stove on 300mm
Log Store



Ecostar 5 Free-standing
Stove on 325mm
Pedestal Stand



Ecostar 5 Free-standing Stove on 325mm Pedestal Stand

Scan the QR Code
to see the Ecostar 5
Free-standing Stove
in action on YouTube



Ecostar 5
Free-standing Stove
on 70mm Leg Stand



Ecostar 5 Wide
Free-standing Stove
on 300mm Log Store



Fireline™

Ecostar 5 5kW Wide Free-standing Multi-Fuel Stove

The larger of the Fireline Ecostar Free-standing Wide range, this stove will keep even the largest rooms warm. A large glass window and self-cleaning ceramic liners keep the stove looking fresh once up to temperature.

With an impressive 5KW output this stove is designed for larger rooms or open plan areas where it becomes the focal point of any room. This stove is as durable as it is stylish, with steel construction and durable ceramic internal liners. External air kit compatibility makes all the Ecostar stoves perfect for installation into modern houses.



Ecostar 5 Wide
Free-standing Stove



Ecostar 5 Free-standing Wide
Stove on 70mm Leg Stand



Ecostar 5 Wide
Free-standing Stove
on 200mm Leg Stand



Ecostar 5
Free-standing Stove
on 300mm Log Store



Ecostar 5
Free-standing Stove on
325mm Pedestal Stand

Scan the QR Code to
see the Ecostar 5 Wide
Free-standing Stove
in action on YouTube



Ecostar 5 Wide Free-standing Stove on C&J 1000 x 350mm Stove Bench
with the Ecostar Optional Black Door Handle

Woodtec Stove Range

Woodtec Modern Stoves



Woodtec 5



Woodtec 5W



Woodtec 5WD



Woodtec 5XW



Woodtec 8kW
Double Sided

Woodtec Modern Stoves on 76mm Stand Accessory



Woodtec 5 on Stand



Woodtec 5W on Stand



Woodtec 5WD on Stand



Woodtec 5XW on Stand

Woodtec Modern Stoves on 76mm Low Leg Stand Accessory



Woodtec 5
on Low Leg Stand



Woodtec 5W
on Low Leg Stand



Woodtec 5WD
on Low Leg Stand



Woodtec 5XW
on Low Leg Stand



Woodtec 8DS
on Low Leg Stand

Woodtec Modern Stoves on 236mm Log Store Accessory



Woodtec 5
on Log Store



Woodtec 5W
on Log Store



Woodtec 5WD
on Log Store



Woodtec 5XW
on Log Store



Woodtec 8DS
on Log Store

Woodtec Style Stoves



Woodtec 5 Style



Woodtec 5W Style

Woodtec Cylinder Stove



Woodtec FCS
Cylinder


Woodtec Optional Door Handles



Wooden



Black



Stainless
Steel

Unashamedly accentuating the delightful wood fire at its heart, these refined and elegant designs combine with powerful SIA Ecodesign certified and clearSkies certified performance to deliver Woodtec's unique and compelling allure.

Clean lines of the exquisitely profiled cast iron door and strong seam-welded steel firebox blend flawlessly into a multitude of fireplace and interior scenes. Cutting-edge patented biomass combustion technology is ingeniously integrated into a captivating paradigm of warm ambience created by fire.

Easy to operate with a technically advanced single air control and powerful airwash, each of the models, apart from the Style models, can be personalised with optional stand, low leg stand or log store. For total peace of mind, all models are SIA Ecodesign certified, Defra exempt for smoke control areas, the vast majority are clearSkies certified, CE and UKCA marked to harmonised standards and manufactured under ISO 9001:2015 and ISO 14001:2015 systems.

Choose only the best with Woodtec stoves from Fireline.

Key Features

- The vast majority of the range is clearSkies certified – ultra clean burning.
- Extra high-quality, long-lasting, cast ceramic firebox liners.
- Super clean design lines.
- Powerful airwash system.
- Minimum 75mm rear clearance to combustibles.*
- Minimum 50mm clearance to non-combustibles.
- 80% plus efficiencies.
- Slimline fireboxes as standard < 12" deep.
- Top flue centre 77mm from back of stove.
- Top and rear flue outlet connections.
- Single stainless-steel air control lever.
- High-quality cast iron doors.
- External Air Kit supplying 100% air available.
- Defra exempt for burning wood in smokeless zones.
- Super-wide fire beds.
- 12mm superimposed hearth compatible.
- 5" flue connections for convenience and flexibility.
- Adjustable feet for uneven hearths.
- Convection stove technology which helps to reduce heat loss around the side of the stove, making more efficient use of your fuel.
- Stainless-steel door lever.
- Cool touch stainless-steel handle.
- Optional black or oak handle.
- Solid stainless-steel operating tool provided.
- Patented tertiary air system.
- High-quality stove gloves provided.
- Stainless-steel ash rake provided.
- Unique optional ash solution available for instant firebox preparation.
- Standard, Wide, Wide Deep and Extra-Wide models, Style, Style Wide, Double Sided and FCS Cylinder models.

*Minimum rear clearances from combustibles achieved using twin wall flue pipe from the top of the stove plus heatshields provided. The 5XW is 100mm.

Woodtec

5 5kW Wood-Burning Stove

The Woodtec range from Fireline offers the clean lines of the exquisitely profiled cast iron door and strong seam-welded steel firebox and blends flawlessly into a multitude of fireplace and interior scenes.

The stove features extra high-quality, long-lasting, cast ceramic firebox liners. Not only do the liners look great but they are self-cleaning; when you burn the stove and get the temperature up, any soot on the liners will fade away.



Woodtec 5

Woodtec 5
on 76mm Stand

Woodtec 5 on
76mm Low Leg Stand

Woodtec 5 on
236mm Log Store



Woodtec 5 Stove shown on 76mm Stand in an Inglenook

Scan the QR Code
to see the Woodtec 5
Wood-Burning Stove
in action on YouTube



Woodtec 5
Wood-Burning Stove
shown on 76mm Low Leg Stand
in Inglenook



Woodtec

5W 5kW Wide Wood-Burning Stove

Like all the Woodtec stoves, the 5kW Wide is easy to operate with a technically advanced single air control and powerful airwash.

Personalisation is possible with optional stand, low leg stand, log store and black or oak handles. As with the other stoves in the range, they have a 5" flue connection for convenience and flexibility.



Woodtec 5W

Woodtec 5W
on 76mm Stand

Woodtec 5W on
76mm Low Leg Stand

Woodtec 5W
on 236mm Log Store



Woodtec 5W Stove shown on 76mm Stand in FDC Abingdon Limestone Surround

Woodtec 5W

Wood-Burning Stove

shown in Abingdon Limestone
Surround from FDC



Woodtec

5WD 5kW Wide Deep Wood-Burning Stove

The deepest in the range, the Woodtec 5kW Wide Deep offers one of the largest viewing windows on the market for a 5kW stove. This model takes advantage of our patented tertiary air system coupled with its unique ceramic and steel hybrid baffle design to enhance the efficiency and clean burning capabilities of the stove.



Woodtec 5WD

**Woodtec 5WD
on 76mm Stand**

**Woodtec 5WD on
76mm Low Leg Stand**

**Woodtec 5WD on
236mm Log Store**



Woodtec 5WD Stove shown in an Inglenook



Woodtec 5WD
Wood-Burning Stove
shown on 236mm Log Store



Woodtec

5XW 5kW Extra Wide Wood-Burning Stove

The widest in the range, the Woodtec 5kW Extra Wide offers one of the largest viewing windows on the market for a 5kW stove.

Increase the presence of the stove with either a stand or log store. The increased form factor hasn't impacted performance, with an impressive 81.2% efficiency.



Woodtec 5XW

Woodtec 5XW
on 76mm Stand

Woodtec 5XW on
76mm Low Leg Stand

Woodtec 5XW on
236mm Log Store

Super-Sized Windows



Scan the QR Code to
see the Woodtec 5XW
Wood-Burning Stove
in action on YouTube



Woodtec 5XW Stove shown on C&J 1200 x 250mm Stove Bench
with the optional Woodtec Black Door Handle

Woodtec 5XW
Wood-Burning Stove
shown on 236mm Log Store



Woodtec

5 5kW Style Wood-Burning Stove

The latest addition to the Fireline Woodtec range, the Woodtec 5 Style features a classical yet contemporary design.

This stove has it all with an effortless classical appearance, yet it benefits from state-of-the-art firebox combustion technology for clearSkies certification, Ecodesign 2022 certified and Defra exempt heating as standard.



Woodtec 5 Style



Scan The QR Code
to see the Woodtec
5 Style Stove in
action on YouTube



Woodtec 5 Style
Wood-Burning Stove
shown in an Inglenook





Woodtec 5W Style
Wood-Burning Stove
shown in an Inglenook



Woodtec

5W 5kW Style Wide Wood-Burning Stove

A more traditional take on the Woodtec range, whilst still maintaining the modern design that makes this range stand apart from the rest.

Low emission combustion systems make the Woodtec Style perfect for town or country living, easily achieving the clearSkies certification.

The Woodtec 5W Style wide is a luxurious addition to any room.



Woodtec 5W Style



Scan the QR Code
to see the Woodtec
5W Style Stove in
action on YouTube



Woodtec

8kW Double-Sided Wood-Burning Stove

Two sides of glass form a unique tunnel effect, creating a new way of enjoying a wood burning stove. The ultimate combination of simplicity and modern elegance, that is ideally suited for large open plan spaces.

This stove brings a lot of character effortlessly making it a showpiece for any home. For total peace of mind, the Woodtec 8kW Double Sided provides Ecodesign 2022 certified and Defra exempt heating as standard.



Woodtec 8kW
Double Sided



Woodtec 8kW
Double Sided
on 76mm stand



Woodtec 8kW
Double Sided
on 236mm Log Store



Woodtec 8kW Double-Sided Stove shown on 76mm Stand

Scan the QR Code to
see the Woodtec 8kW
Double-Sided Stove
in action on YouTube



Woodtec 8kW Double-Sided
Wood-Burning Stove
on 236mm Log Store



Woodtec

FCS 5kW Cylinder Wood-Burning Stove

Offering a stunning and stylish focal point whilst utilising space efficiently, the Woodtec FCS Cylinder can be installed with only 10mm distance to combustibles from the wall at the rear and 25mm at the sides.

The curved glass window gives you a wider view of the flames within than a traditional stove, enhancing the experience. An integrated log store aids both form and function, creating a more purposeful profile and adding a practical place to store logs underneath the stove.



Woodtec FCS Cylinder




Woodtec FCS Cylinder Wood-Burning Stove

Scan the QR Code
to see the Woodtec
FCS Cylinder Stove
in action on YouTube




Woodtec
FCS Cylinder
Wood-Burning Stove







FX4




FX4 on 260mm Midi Log Store




FX5



FX5 on 260mm Midi Log Store




FQ5




FQ5 on 260mm Midi Log Store


— 5kW Wide and 8kW Stoves Dimensions




FA5W/FX5W/FT5W/FP5W (FX5W shown)




FQ5W



FQ5W on 260mm Midi Log Store




FA8/FQ8/FX8/FT8/FP8 (FQ8 shown)




FA8/FQ8/FX8/FT8/FP8 (FX8 shown) on 260mm Midi Log Store


— Ecostar 5 Free-standing Dimensions




Ecostar 5 Free-standing




Ecostar 5 Free-standing on 70mm Stand



Ecostar 5 Free-standing on 200mm Leg Stand




Ecostar 5 Free-standing on 325mm Pedestal Stand




Ecostar 5 Free-standing on 300mm Log Store




— Ecostar 5 Wide Free-standing Dimensions




Ecostar 5 Wide Free-standing




Ecostar 5 Wide Free-standing on 70mm Stand



Ecostar 5 Wide Free-standing on 200mm Leg Stand




Ecostar 5 Wide Free-standing on 325mm Pedestal Stand




Ecostar 5 Wide Free-standing on 300mm Log Store



Inset Stoves Dimensions



FPi8 3-sided*




FPi8 4-sided*

*Optional three & four-sided trims are available in a wide format for the FPi5 and FPi5W models which adds 25mm to the frame border. The overall trim therefore increases by 50mm in width and height.




— Ecostar 5 Inset Stoves Dimensions

Ecostar 5 Inset



Ecostar 5 Wide Inset




MODEL	FX4	FX/ FQ5	FX/FP/ FQ/FT/ FA 5W	FX/FP/ FQ/FT/ FA 8	FPI8	Ecostar 5	Ecostar 5W	Ecostar 5 Inset	Ecostar 5W Inset
Fuel:	Wood/ Solid Fuel	Wood/ Solid Fuel	Wood/ Solid Fuel	Wood/ Solid Fuel	Wood/ Solid Fuel	Wood/ Solid Fuel	Wood/ Solid Fuel	Wood/ Solid Fuel	Wood/ Solid Fuel
Flue:	Top/Rear	Top/Rear	Top/Rear	Top/Rear	Top (Inset)	Top/Rear	Top/Rear	Top (Inset)	Top (Inset)
Flue connector diameter:	127mm (5")	127mm (5")	127mm (5")	127mm (5")	127mm (5")	127mm (5")	127mm (5")	127mm (5")	127mm (5")
Finish:	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black
Gross Weight (kg):	58	66	81	90	118	88	104	83	97
Efficiency (%):	81.8	81.7	80.8	81.1	78.4	82.7	80	82.7	80
Declared Nominal Output (kW):	4	5	5	8	8	5	5	5	5
Output Range (Defra test):	3.0-6.3	3.8-8.5	4.0-7.7	5.8-8.2	5.5-11.0	3.4-6.2	3.2-8.7	3.4-6.2	3.2-8.7
Flue Gas Mass Flow (g/s):	3.2	3.6	4.2	5.4	5.8	3.5	4.3	3.5	4.3
Nominal Flue Temperature (°C):	259	278	263	301	297	269	271	269	271
Maximum Log Length (mm):	300	300	375	375	540	300	375	300	375
Energy Labelling EEI Class:	A+	A+	A+	A+	A	A+	A	A+	A
External Air Kit Option:	No	No	No	No	No	Yes	Yes	Yes	Yes

Smokeless Fuel Technical Data


MODEL	FX4	FX/FQ5	FX/FP/ FQ/FT/ FA 5W	FX/FP/ FQ/FT/ FA 8	FPI8	Ecostar 5	Ecostar 5W	Ecostar 5 Inset	Ecostar 5W Inset
Test Fuel	Maxibrite	Maxibrite	Maxibrite	Maxibrite	Ancit	Maxibrite	Maxibrite	Maxibrite	Maxibrite
Efficiency (%)	79.8	79.5	81.6	82.9	77	80.3	81.5	80.3	81.5
Declared Nominal Output (kW)	4	5	5	8	8	5	5	5	5
Flue Gas Mass Flow (g/s)	3.3	3.8	3.1	4.5	5.9	3.5	3.3	3.5	3.3
Flue Temp (Nominal)	270	294	298	311	297	261	267	261	267

MODEL	Woodtec 5/5 Style	Woodtec 5W/ 5W Style	Woodtec 5WD	Woodtec 5XW	Woodtec FCS 5	Woodtec 8kW Double Sided
Fuel:	Wood	Wood	Wood	Wood	Wood	Wood
Flue:	Top/Rear	Top/Rear	Top/Rear	Top/Rear	Top/Rear	Top
Flue connector diameter:	127mm (5")	127mm (5")	127mm (5")	127mm (5")	127mm (5")	127mm (5")
Finish:	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black	Matt Black
Gross Weight (kg):	75	89	101	96	118	129
Efficiency (%):	81.1	80.2	80.5	81.2	82.1	76.7
Declared Nominal Output (kW):	5	5	5	5	5	8
Output Range (Defra test):	3.5-6.9	3.8-7.0	4.1-7.0	3.7-8.0	3.2-5.7	3.9-9.6
Flue Gas Mass Flow (g/s):	3.9	4.3	4.1	4.1	3.9	6.8
Nominal Flue Temperature (°C):	272	270	267	254	248	319
Maximum Log Length (mm):	300	400	400	450	200	400
Energy Labelling EEI Class:	A+	A+	A+	A+	A+	A
External Air Kit Option:	Yes	Yes	Yes	Yes	Yes	No




— Stove Dimensions & Specifications


For dimensions A, B, C & D please see table opposite.




Woodtec 5 Stove




Woodtec 5W Stove on 76mm Stand




Woodtec 5XW Stove on 236mm Log Store



Woodtec 5WD Stove



Woodtec 5 Style




Woodtec 5W Style

Dimensions (mm)	A	B	C	D	E	F
Woodtec 5	414	390	290	548	324	258
Woodtec 5W	514	490	293	548	324	258
Woodtec 5WD	514	490	343	548	374	308
Woodtec 5XW	564	540	295	548	324	258
Woodtec 5 Style	456	438	325	661	338	311
Woodtec 5 Wide Style	556	510	325	661	336	311
Woodtec 5 on 76mm Stand	414	400	290	624	324	275
Woodtec 5W on 76mm Stand	514	500	293	624	324	275
Woodtec 5WD 76mm on Stand	514	500	343	624	374	325
Woodtec 5XW on 76mm Stand	564	550	295	624	324	275
Woodtec 5 on 76mm Low Leg Stand	414	400	290	624	324	275
Woodtec 5W on 76mm Low Leg Stand	514	500	293	624	324	275
Woodtec 5WD on 76mm Low Leg Stand	514	500	343	624	374	325
Woodtec 5XW on 76mm Low Leg Stand	564	550	295	624	324	275
Woodtec 5 on 236mm Log Store	414	400	290	784	324	275
Woodtec 5W on 236mm Log Store	514	500	293	784	324	275
Woodtec 5WD on 236mm Log Store	514	500	343	784	374	325
Woodtec 5XW on 236mm Log Store	564	550	295	784	324	275




Fireline Woodtec


Stove Dimensions & Specifications




Woodtec FCS Cylinder



Woodtec 8kW Double Sided Stove



Woodtec 8kW Double Sided Stove on 76mm Stand



Woodtec 8kW Double Sided Stove on 236mm Log Store



Fireline™

— Installation Gallery



Fireline Stove Range


— Wood Burning – Technical Performance Details

Quality stoves are so much more than just a metal box at the bottom of the chimney. Considerable efforts are required to ensure that the stove can be thermally efficient and many further developments are required to make a stove fully clean burning. Stoves are often incorrectly considered 'clean burning' just because they have an airwash, but the hard truth is that even stoves with an airwash system and good thermal efficiency can be dirty burners. Fireline stoves are all both highly thermally efficient and genuinely clean burning with official SIA Ecodesign certification, Defra exemption and clearSkies certification listing easily achieved on all models. By choosing and using C&J stoves, you can be assured that all environmental considerations are taken good care of. Some of the following measures demonstrate just how well our stoves burn wood.




Total Efficiency to EN13240/13229

Total efficiency is the overall effectiveness of the stove in converting the kW content of fuel into heat that you will feel in your room. This must be measured by an independent test house to BS EN 13240 or 13229 to be comparable with other stoves. Total efficiency is not a measure of clean burning in any way. It is quite possible to have a stove with high thermal efficiency that burns with plenty of smoke, or a clean burning stove with low efficiency. However Fireline has worked especially hard to bring you a range of stoves that are both highly efficient and very clean burning. All our Fireline stoves far exceed the minimum efficiency required by clearSkies as the graph shows.




Carbon Monoxide (CO) Emissions

Historically the UK limit for CO emissions is 1% but this is a very high threshold in reality. Some other EU countries and Ecodesign 2022 specifies that the average shall not exceed 0.12% over the duration of 3 consecutive tests, a reduction of more than 88%. Bearing this in mind, C&J have worked tirelessly since 2013 to reduce CO emissions of all our stoves to within this 0.12% limit and this has been achieved with no stove producing more than 0.1% under accredited independent lab testing. In the adjacent graph you can see how our stoves exceed the clearSkies 0.12% 2022 requirements.



Organic Gaseous Carbon (OGC) Emissions

Organic Gaseous Carbon compounds are particles of unburned fuel and contribute to atmospheric pollution and associated human health concerns. OGC is to be governed at a maximum average of 200 mg/Nm³ during 3 consecutive lab tests. All current C&J stoves exceed this very important requirement for wood burning by an average of 57% and no less than 86% for mineral fuels as the graph shows.




Fireline Stove Range

— Wood Burning – Technical Performance Details


Particulate Matter (PM) Emissions

Measured by the EU leading Ecodesign filter method, Particulate Matter includes microscopic soot, ash dust and fuel particles that can be carried out of the flue into the environment. Only regulated in UK Defra smoke control areas until (which all Fireline stoves comply with of course), 2022 rules imposed a limit of 40 mg/Nm³ that must not be exceeded during 3 consecutive lab tests. Defra testing extends PM testing to low rate burning using UK test methods and although the limits are higher than clearSkies, the combined result of both PM regulations is a very clean burning stove indeed.



NOx Emissions

Emissions of nitric oxide and nitrogen dioxide, known collectively as NO_x, are monitored in the environment as part of worldwide air quality standards. clearSkies regulation imposes a 200 mg/Nm³ limit on all solid fuel burners as the average of 3 consecutive tests in an accredited laboratory. All C&J stoves exceed the performance requirements for NO_x emissions convincingly as the graph demonstrates.



Fireline Stove Range


Mineral Fuel Burning – Technical Performance Details

Quality stoves are so much more than just a metal box at the bottom of the chimney. Considerable efforts are required to ensure that the stove can be thermally efficient and many further developments are required to make a stove fully clean burning. Stoves are often incorrectly considered 'clean burning' just because they have an airwash, but the hard truth is that even stoves with an airwash system and good thermal efficiency can be dirty burners. Fireline stoves are all both highly thermally efficient and genuinely clean burning with official SIA Ecodesign certification, Defra exemption and clearSkies certification listing easily achieved on all models. By choosing and using C&J stoves you can be assured that all environmental considerations are taken good care of. When using mineral fuels, it is essential to use a Defra Approved fuel from a totally reputable source. clearSkies rules apply to mineral fuels in the same way as wood logs and so as you would expect, C&J have tested and approved all their stoves to the future standards already. Some of the following measures demonstrate just how well our stoves burn mineral fuels.



Total Efficiency to EN13240/13229

Total efficiency is the overall effectiveness of the stove in converting the kW content of fuel into heat that you will feel in your room. This must be measured by an independent test house to BS EN 13240 or 13229 to be comparable with other stoves. Total efficiency is not a measure of clean burning in any way. It is quite possible to have a stove with high thermal efficiency that burns with plenty of smoke, or a clean burning stove with low efficiency. However Fireline has worked especially hard to bring you a range of stoves that are both highly efficient and very clean burning. All our Fireline stoves far exceed the minimum efficiency required by clearSkies 2022 as the graph shows.




Fireline Stove Range

Mineral Fuel Burning – Technical Performance Details


Carbon Monoxide (CO) Emissions

Historically the UK limit for CO emissions is 1% but in reality this is a very high threshold. Some other EU countries and Ecodesign 2022 specifies that the average shall not exceed 0.12% over the duration of 3 consecutive tests, a reduction of more than 88%. Bearing this in mind, C&J have worked tirelessly since 2013 to reduce CO emissions of all our stoves to within this 0.12% limit and this has been achieved with no stove producing more than 0.1% under accredited independent lab testing. In the adjacent graph you can see how well our stoves exceed the clearSkies 2022 requirement.




Organic Gaseous Carbon (OGC) Emissions

Organic Gaseous Carbon compounds are particles of unburned fuel and contribute to atmospheric pollution and associated human health concerns. OGC is to be governed at a maximum average of 200 mg/Nm³ during 3 consecutive lab tests. All current C&J stoves exceed this very important requirement for solid fuel burning by an average of no less than 86% for as the graph shows.



Particulate Matter (PM) Emissions

Measured by the EU leading Ecodesign filter method, Particulate Matter includes microscopic soot, ash dust and fuel particles that can be carried out of the flue into the environment. Only regulated in UK Defra smoke control areas until (which all Fireline stoves comply with of course), 2022 rules imposed a limit of 40 mg/Nm³ that must not be exceeded during 3 consecutive lab tests. Defra testing extends PM testing to low rate burning using UK test methods and although the limits are higher than clearSkies, the combined result of both PM regulations is a very clean burning stove indeed.



	FX4	FX5/FQ5	FX/FP/FQ/FT/FA 5W	FX/FP/FQ/FT/FA 8	FPi8	Ecostar 5/ Ecostar 5 inset	Ecostar 5W/ Ecostar 5W inset
PM Emissions mg/Nm ³	7	8	9	8	40	30	27
clearSkies Maximum LIMIT	40 mg/Nm ³						

NOx Emissions

Emissions of nitric oxide and nitrogen dioxide, known collectively as NOx, are monitored in the environment as part of worldwide air quality standards. clearSkies certifications imposed a 200 mg/Nm³ limit on all solid fuel burners as the average of 3 consecutive tests in an accredited laboratory. All C&J stoves exceed the performance requirements for NOx emissions convincingly as the graph demonstrates.



	FX4	FX5/FQ5	FX/FP/FQ/FT/FA 5W	FX/FP/FQ/FT/FA 8	FPi8	Ecostar 5/ Ecostar 5 inset	Ecostar 5W/ Ecostar 5W inset
Nox Emissions mg/Nm ³	115	100	93	83	115	197	155
clearSkies Maximum LIMIT	200 mg/Nm ³						

Charlton & Jenrick Company and Product Accreditations

Charlton & Jenrick have made a very substantial investment over the years in obtaining a wide range of accreditations and trade body memberships to ensure that we are consistently offering the best possible products and services to our customers. We not only manufacture appliances but we also put in huge behind-the-scenes efforts to ensure that we input to and keep abreast of impending legislation, standards, product performance and environmental requirements. Currently we subscribe and contribute to the following accreditations:



The UKCA (UK Conformity Assessed) mark is the new UK product mark that replaces the CE mark for products being placed on the market in Great Britain (England, Wales and Scotland). It covers most products that previously required the CE mark. All our fires comply to this new mark.



HHIC, the Heating and Hot Water Information Council is a trade body representing the UK gas fire industry. As part of the Energy and Utilities Alliance, within the HHIC we have an input into EU and UK standards committees, communicate with Government departments and keep abreast of serious issues affecting the gas fire industry.



SIA, the Stove Industry Association is the UK trade body for the solid fuel stove industry. C&J are members of the Executive Committee and Technical Committee enabling input into UK and EU standards committees and lines of communication into Government departments and keeping up to date on a wide range of issues affecting the industry.



 @cJfires



www.facebook.com/cJfires

www.charltonandjenrick.co.uk



Gas Safe Register is the mandatory national competent persons scheme to allow work on gas fittings and appliances in customers' homes. Our service and most of the sales team have completed the regular training courses and sit the regular exams to ensure our customers have the best support and service.



ISO 9001 is the internationally recognised standard for Quality Management Systems which in our case includes the activity of product design and development as well as production, sale and support functions. Annual independent audits and certification ensure continued compliance in producing consistent quality products.



ISO 14001 is the internationally recognised standard for Environmental Management Systems. Once again this independently audited and certified system makes sure that we are regularly monitoring and reviewing the impact of the business and its products to ensure we minimise negative impacts and promote best practice.



clearSkies is a certification mark for Emissions and Energy Performance of domestic wood burning stoves and fireplaces. clearSkies certification shows appliances that exceed defined emissions and efficiency thresholds at least 15% better than the minimum requirements set by the Ecodesign regulation.



CE marking of products is mandatory for electric, gas, wood-burning fires and stoves in Europe. We always invest in independent testing and certification to ensure our products meet all necessary requirements for the regions we operate in.

Please note: Our policy is one of constant development and improvement. We therefore reserve the right to revise the specification and design of our stoves without formal notice. This brochure is presented as a guide to aid in your decision and does not replace the need for technical assessment by your dealer. While the utmost care was taken in the preparation of this brochure, it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and does not replace the need to see the stove in a showroom. We accept no liability for any loss or damage arising either directly or indirectly from the use of this brochure. All designs in this brochure are design or copyright registered. Fireline, without exception, will take action against any infringements of its designs.

The Charlton & Jenrick Way

Since being established in 1986, we have grown and now sell products across all fuel types.

Regardless of whether you need a gas, wood-burning, solid-fuel, or electric appliance we have a product to fit your needs.

See our full range at

www.charltonandjenrick.co.uk




Please scan
the QR code
to visit now



See Our Products Live

We believe you need to see one of our products with your own eyes before purchasing, to fully understand how it fits into your home.

This is why we sell through a network of over 400 independent fireplace showrooms right across the UK.



— See Our Other Solid-Fuel Ranges

PUREVISION  State of the art design for the ultimate in luxury stoves.



GO ECO
STOVE RANGE

GO ECO
BAKECHEF
COOKING STOVE



A range of
glamping,
cooking, outdoor
and conventional
stoves for home
and glamping
environments.



Fireline Stoves

— Explore The Range

Inset Stoves

Traditional and Wide



Multi-Fuel Stoves

5kW and 8kW heat outputs



Wood-Burning Stoves

Woodtec Range



Modern Stoves



Traditional Stoves



Notes

THE
Fireline™
Stoves
COLLECTION



Charlton & Jenrick Ltd, Unit D,
Stafford Park 2, Telford, Shropshire
TF3 3AR
Tel: 01952 200444
e-mail: sales@charltonandjenrick.co.uk
charltonandjenrick.co.uk



CONNECT WITH US:

